

# GEVACRIL

## DELIVERY PROGRAMME

GEVACRIL® EXTRUDED	GEVACRIL® CAST
 <p>Polycarbonate Tubes</p>	 <p>Cast Acrylic Tubes</p>  <p>CAST CONTINUED Tubes</p>
 <p>GEVACRIL® Satin Tubes</p>  <p>XT Acrylic Rods &amp; FLUOR-ACRYL® Rods</p>	 <p>GEVACRIL METALLIC® Tubes</p>  <p>Cast Acrylic Bars</p>
 <p>XT Acrylic Half-Round Rods</p>  <p>XT Acrylic Bars</p>	 <p>Cast Acrylic Rods</p>  <p>FLUOR-ACRYL® Rods &amp; Bars</p>
 <p>XT Acrylic Triangle Bars</p>  <p>XT Acrylic Bubble Rods</p>	 <p>Cast Acrylic Balls</p>  <p>Cast Acrylic Domes</p>
 <p>Acrylic Accessories</p>	

**GEVACRIL®:**  
high-quality, innovation, transparency



**your acrylic professional**



# GEVACRIL

## EXTRUDED ACRYLIC CLEAR TUBES

External diameter	Standard length	Packing unit	Thickness	Tolerances	
				External diameter	Thickness
Ø mm	mm	N	mm	mm	mm
5	2000	25	1	± 0,3	± 0,20
7	2000	25	1	± 0,3	± 0,20
8	2000	25	2	± 0,3	± 0,25
10 Ø	2000/4000	25	1,5/2/3	± 0,3	± 0,20/0,25/0,30
12 Ø	2000/4000	25	1/2/3	± 0,3	± 0,20/0,25/0,30
13	2000/4000	25	1,5/2	± 0,3	± 0,20/0,25/0,30
15 Ø	2000/4000	25	1/2/2,5/3	± 0,3	± 0,20/0,25/0,25/0,30
16	2000/4000	25	2	± 0,3	± 0,25
20 Ø	2000/4000	5	1/2/3	± 0,3	± 0,20/0,25/0,30
25 Ø	2000/4000	5	2/3	± 0,5	± 0,25/0,30
30 Ø	2000/4000	5	2/3/4/5	± 0,5	± 0,25/0,30/0,35/0,40
34	2000/4000	5	3	± 0,5	± 0,30
38	2000/4000	5	3	± 0,5	± 0,30
40 Ø	2000/4000	1	2/3/4/5	± 0,8	± 0,25/0,30/0,35/0,40
44	2000/4000	1	3	± 0,8	± 0,30
50 Ø	2000/4000	1	2/3/4/5	± 0,8	± 0,25/0,30/0,35/0,40
60 Ø	2000/4000	1	2/3/4/5	± 0,8	± 0,25/0,35/0,35/0,40
70 Ø	2000/4000	1	2/3/4/5	± 0,8	± 0,30/0,35/0,40/0,45
80 Ø	2000/4000	1	2/3/4/5	± 0,9	± 0,30/0,35/0,40/0,45
90 Ø	2000/4000	1	3/4/5	± 0,9	± 0,30/0,40/0,50
100 Ø	2000/4000	1	3/4/5	± 1,2	± 0,30/0,40/0,50
110 Ø	2000/4000	1	3/4/5	± 1,2	± 0,30/0,40/0,50
120 Ø	2000/4000	1	3/5	± 1,2	± 0,30/0,50
133 Ø	2000/4000	1	3/5	± 1,3	± 0,35/0,50
150 Ø	2000/4000	1	3/4/5	± 1,5	± 0,30/0,40/0,45/0,50
160 Ø	2000/4000	1	4	± 1,5	± 0,40
180 Ø	2000/4000	1	3/5/4	± 1,5	± 0,40
200 Ø	2000/4000	1	3/4/5	± 2,0	± 0,40/0,50/0,55
230	2000	1	4/5	± 2,0	± 0,50/0,55
250 Ø	2000	1	4/5	± 2,0	± 0,50/0,55



**your acrylic professional**





# GEVACRIL

⊖ = stock items. Standard tubes are transparent; the standard length is 2000/4000 mm (-0/+30 mm)

On request we can produce other diameters, thicknesses, colours and lengths

Approvals, Food Compliance, Quality Description: available

HappyLabel Package system: labelled in green, wrapped in PE film and palletized

## EXTRUDED ACRYLIC SATIN TUBES

External diameter Ø mm	Standard length mm	Packing unit	Thickness mm	Tolerances	
				External diameter	Thickness
50 ⊖	2000	1	3	± 0,8 mm.	± 0,30 mm.
60 ⊖	2000	1	3	± 0,8 mm.	± 0,35 mm.
70 ⊖	2000	1	3	± 0,8 mm.	± 0,35 mm.
80 ⊖	2000	1	3	± 0,9 mm.	± 0,35 mm.
90 ⊖	2000	1	3	± 0,9 mm.	± 0,35 mm.
100 ⊖	2000	1	3	± 1,2 mm.	± 0,35 mm.
110 ⊖	2000	1	3	± 1,2 mm.	± 0,35 mm.
120 ⊖	2000	1	3	± 1,2 mm.	± 0,35 mm.
150 ⊖	2000	1	3	± 1,5 mm.	± 0,40 mm.
200 ⊖	2000	1	3	± 1,5 mm.	± 0,40 mm.
250	2000	1	4	± 2,5 mm	± 0,50 mm.

⊖ = stock items; the standard length is 2000 mm (-0/+30 mm)

On request we can produce other diameters, thicknesses, colours and lengths

Approvals, Food Compliance, Quality Description: available

Package system: labelled in green, wrapped in PE film and palletized



**your acrylic professional**





# GEVACRIL

## POLYCARBONATE CLEAR TUBES

External diameter mm	Standard length mm	Packing Unit	Thickness mm	Tolerance in mm External diameter	Tolerance in mm Thickness
10 $\emptyset$	2000	25	1;2;3	$\pm 0,3$ mm.	$\pm 0,20/0,20/0,30$ mm.
12	2000	25	2;3	$\pm 0,3$ mm.	$\pm 0,25/0,30$ mm.
15 $\emptyset$	2000	25	2;3	$\pm 0,3$ mm.	$\pm 0,25/0,30$ mm.
20 $\emptyset$	2000	5	2;3	$\pm 0,3$ mm.	$\pm 0,25/0,30$ mm.
25 $\emptyset$	2000	5	2;3	$\pm 0,5$ mm.	$\pm 0,25/0,30$ mm.
30 $\emptyset$	2000	5	2;3;4;5	$\pm 0,5$ mm.	$\pm 0,25/0,30/0,35/0,40$ mm.
38	2000	5	2;3	$\pm 0,5$ mm.	$\pm 0,25/0,30$ mm.
40 $\emptyset$	2000	1	2;3;4;5	$\pm 0,8$ mm.	$\pm 0,25/0,30/0,35/0,40$ mm.
50 $\emptyset$	2000	1	2;3;4;5	$\pm 0,8$ mm.	$\pm 0,25/0,30/0,35/0,40$ mm.
60 $\emptyset$	2000	1	2;3;4;5	$\pm 0,8$ mm.	$\pm 0,25/0,30/0,35/0,40$ mm.
70 $\emptyset$	2000	1	2;3;4;5	$\pm 0,8$ mm.	$\pm 0,25/0,30/0,35/0,40$ mm.
80 $\emptyset$	2000	1	2;3;4;5	$\pm 0,9$ mm.	$\pm 0,30/0,35/0,40/0,45$ mm.
90 $\emptyset$	2000	1	2;3;4;5	$\pm 0,9$ mm.	$\pm 0,30/0,35/0,40/0,45$ mm.
100 $\emptyset$	2000	1	2;3;4;5	$\pm 1,2$ mm.	$\pm 0,30/0,35/0,40/0,45$ mm.
110	2000	1	3;4;5	$\pm 1,2$ mm.	$\pm 0,35/0,40/0,45$ mm.
120 $\emptyset$	2000	1	3;4;5	$\pm 1,2$ mm.	$\pm 0,35/0,40/0,45$ mm.
130	2000	1	3;4;5	$\pm 1,3$ mm.	$\pm 0,35/0,40/0,50$ mm.
140 $\emptyset$	2000	1	3;4;5	$\pm 1,3$ mm.	$\pm 0,40/0,45/0,50$ mm.
150 $\emptyset$	2000	1	3;4;5	$\pm 1,5$ mm.	$\pm 0,40/0,45/0,50$ mm.
200 $\emptyset$	2000	1	3;4;5	$\pm 2,0$ mm.	$\pm 0,40/0,45/0,50$ mm.

Standard tubes are transparent; the standard length is 2000 mm (-0/+30 mm)

$\emptyset$  = stock items; other diameters, thicknesses and lengths on request

Approvals, UL Certificate, Quality Description: available

Package system: labelled in red, wrapped in PE film and palletized



**your acrylic professional**





# GEVACRIL

## XT ACRYLIC CLEAR RODS

External diameter Ø mm	Standard length Mm	Packing unit N	Minimum quantity N	Tolerance External diameter
2 Ø	2000	100	100	± 0,3mm
3 Ø	2000	100	100	± 0,3mm
4 Ø	2000	100	100	± 0,3mm
5 Ø	2000	50	100	± 0,3mm
6 Ø	2000	25	50	± 0,3mm
7	2000	25	50	± 0,3mm
8 Ø	2000	25	50	± 0,3mm
10 Ø	2000	25	25	± 0,3mm
12 Ø	2000	10	20	± 0,3mm
15	2000	10	20	± 0,3mm

## XT FLUOR-ACRYL<sup>®</sup> RODS

Yellow, Green, Blue, Red

External diameter Ø mm	Standard length Mm	Packing unit N	Minimum quantity N	Tolerance External diameter
5 Ø	2000	50	100	± 0,3 mm.
10 Ø	2000	25	50	± 0,4 mm.
15 Ø	2000	10	50	± 0,5 mm.

## XT ACRYLIC BUBBLE RODS

External diameter Ø mm	Standard length Mm	Packing unit N	Minimum quantity N	Tolerance External diameter
15 Ø	2000	10	50	± 0,5 mm.
20 Ø	2000	10	20	± 0,5 mm.
30 Ø	2000	1	5	± 0,8 mm.
40 Ø	2000	1	5	± 0,8 mm.



**your acrylic professional**





# GEVACRIL

## XT ACRYLIC HALF-ROUND RODS

External diameter Ø mm	Standard length Mm	Packing unit N	Minimum quantity N	Tolerance External diameter
4	2000	50	100	± 0,2 mm.
5	2000	50	100	± 0,3 mm.
6	2000	25	50	± 0,3 mm.
8	2000	25	25	± 0,4 mm.
10 Ø	2000	25	25	± 0,4 mm.
12	2000	10	20	± 0,4 mm.
15	2000	10	20	± 0,5 mm.
20	2000	10	20	± 0,8 mm.
25	2000	10	20	± 0,8 mm.

## XT ACRYLIC CLEAR BARS

Side length [ ] mm	Standard length mm	Packing unit N	Minimum quantity N	Tolerance on profile
4x4	2000	50	100	± 0,2 mm.
5x5 Ø	2000	50	100	± 0,3 mm.
6x6	2000	25	50	± 0,3 mm.
8x8 Ø	2000	25	50	± 0,3 mm.
10x10 Ø	2000	25	25	± 0,4 mm.
12x12 Ø	2000	10	20	± 0,4 mm.
15x15	2000	10	20	± 0,5 mm.
20x20	2000	10	20	± 0,6 mm.
25x25	2000	10	20	± 0,8 mm.



**your acrylic professional**





# GEVACRIL

## XT ACRYLIC TRIANGLE BARS

Side length [ ] mm	Standard length mm	Packing unit N	Minimum quantity N	Tolerance on profile
5x5x5	2000	50	100	± 0,4 mm.
8x8x8	2000	25	50	± 0,4 mm.
10x10x10	2000	25	50	± 0,4 mm.
15x15x15	2000	10	20	± 0,4 mm.
20x20x20	2000	10	20	± 0,4 mm.
25x25x25	2000	10	20	± 0,4 mm.

o = stock items; standard rods & bars are transparent (except the LISA ones); the standard length tolerance is -0/+30 mm

On request we can produce other profiles and lengths

Approvals, Food Compliance, Quality Description: available

HappyLabel package system: labelled in white, wrapped in PE film and palletized

Transparent, translucent, fluorescent and opal colour grades



**your acrylic professional**





# GEVACRIL

## ACRYLIC ACCESSORIES

### ACRYLIC TRANSPARENT HINGES, NUTS AND KNOBS

ACRYLIC HINGES	
CODE ARTICLE	DESCRIPTION mm x mm
HINGE1	24x31
HINGE2	38x45

ACRYLIC TRANSPARENT BOLTS (CROSS SLOT) and NUTS	
CODE ARTICLE	DESCRIPTION mm x mm
BOLT4X12	4x12 mm Diameter 4 mm Total length.10 mm Diameter head.7mm Length stem .9 mm
BOLT4X18	4x18 mm Diameter 4 mm Total length.18 mm Diameter head .7mm Length stem 15mm
BOLT5X15	5x15 mm Diameter 5 mm Total length 15 mm Diameter head 9 mm Length stem 12 mm
NUT04	Hexagonal Nut M4 CH 7mm Thickness 3 mm
NUT05	Hexagonal Nut M5 CH 8mm Thickness 4 mm
ACRYLIC LOCK SET (3PCS)	
CODE ARTICLE	DESCRIPTION
SET3	Lock set made of 3 pcs

Standard accessories are high transparent

Accessories are sold only together with other Gevacril item



**your acrylic professional**





# GEVACRIL

## CAST ACRYLIC CLEAR TUBES

External diameter Ø mm	Standard length mm	Thickness mm	Tolerances		
			External diameter	Thickness in mm	
				3-10	12-15
40	2000	3;4	+1%,-0,5%	± 1	/
44	2000	3;4;5	+1%,-0,5%	± 1	/
50	2000	3;4;5;6	+1%,-0,5%	± 1	/
60	2000/2100	3;4;5;6;7;8;10	+1%,-0,5%	± 1	/
64	2000/2100	3;4;5;6;7;8;10	+1%,-0,5%	± 1	/
70	2000/2100	3;4;5;6;7;8;10;12-15	+1%,-0,5%	± 1	± 1,5
76	2000	3;4;5;6;7;8;10;12-15	+1%,-0,5%	± 1	± 1,5
80	2000	3;4;5;6;7;8;10;12-15	+1%,-0,5%	± 1	± 1,5
90	2000	3;4;5;6;7;8;10;12-15	+1%,-0,5%	± 1	± 1,5
100	2000	3;4;5;6;7;8;10;12-15	+1%,-0,5%	± 1	± 1,5
102	2000	3;4;5;6;7;8;10	+1%,-0,5%	± 1	± 1,5
110	2000	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
115	2000/2100	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
120	2000/2100	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
125	2000/2100	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
127	2000/2100	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
134	2000/2100	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
139	2000/2100	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
150	2000/2100	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
153	2000	3,4,5,6, 8	± 0,5%	± 1	/
160	2000	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
164	2000/2100	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
170	2000	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
185	2000	3;4;5;6;7;8;10;12-15	± 0,3%	± 1	± 1,5
200	2000/2100	3;4;5;6;7;8;10;12-15	± 0,3%	± 1	± 1,5
215	2000	3;4;5;6;7;8;10	± 0,5%	± 1	± 1,5
220	2000	3;4;5;6;7;8;10;12-15	± 0,3%	± 1	± 1,5
230	2000/2100	3;4;5;6;7;8;10;12-15	± 0,3%	± 1	± 1,5
240	2000/2100	3;4;5;6;7;8;10;12-15	± 0,3%	± 1	± 1,5
250	2000/2100	3;4;5;6;7;8;10;12-15	± 0,3%	± 1	± 1,5
260	2000	3;4;5;6;7;8;10;12-15	± 0,3%	± 1	± 1,5
270	2000/2100	4;5;6;8;10	± 0,3%	± 1	± 1,5
300	2000/2100	4;5;6;7;8;10;12-15	± 0,3%	± 1	± 1,5
300	4100	5	± 0,3%	± 1	/
350	2100	4;5;6;7;8;10	± 0,3%	± 1	± 1,5
400	2050	4;5;6;7;8;10	± 0,3%	± 1	± 1,5
500	2050	5;6;7;8;10	± 0,3%	± 1	± 1,5



your acrylic professional





# GEVACRIL

Standard tubes are transparent; the standard length tolerance is -0/+30 mm

On request we can produce other diameters, thicknesses and lengths

Approvals, Food Compliance, Quality Description: available

HappyLabel Package system: labelled in white, wrapped in PE film and palletized

Transparent, translucent, fluorescent and opaque colour grades

## CAST CONTINUED<sup>®</sup> TUBES

External Diameter Ø mm.	Standard length mm.	Thickness mm.	Tolerances	
			On external diameter	On thickness
150	2000	3,5	± 0,5%	± 1 mm.
185	2000	3,5	± 0,5%	± 1 mm.
200	2000	3,4,5	± 0,5%	± 1 mm.
220	2000	3,5	± 0,5%	± 1 mm.
230	2000	3,4,5	± 0,5%	± 1 mm.
240	2000	3,4,5	± 0,5%	± 1 mm.
250	2000	3,4,5	± 0,5%	± 1 mm.
260	2000	3,5	± 0,5%	± 1 mm.
300	2000	4,5	± 0,5%	± 1 mm.

Standard tubes are transparent; the standard length tolerance is -0/+30 mm.

Approvals, Food Compliance, Quality Description: available

Package system: labelled in yellow, wrapped in PE film and palletized

Available only in transparent grade



**your acrylic professional**





# GEVACRIL

## GEVACRIL<sup>®</sup>-METALLIC TUBES

The R&D department of GEVACRIL<sup>®</sup> created this innovative eye-catching item: the ACRYLIC METALLIC TUBES are ideal for design items, attention-grabbing displays, shimmering signs, colourful tradeshow booths and store fixtures.

External diameter Ø mm.	Standard length mm.	Thickness mm.	Tolerances	
			On external diameter	On thickness 3 mm.
50	2000	3	+1%,-0,5%	± 1
70	2000	3	+1%,-0,5%	± 1
100	2000	3	+1%,-0,5%	± 1
150	2000	3	± 0,5%	± 1
215	2000	3	± 0,5%	± 1

GEVACRIL <sup>®</sup> CAST ACRYLIC METALLIC TUBES: COLOUR CHART
GEVACRIL <sup>®</sup> gold GV-110
GEVACRIL <sup>®</sup> silver GV-120
GEVACRIL <sup>®</sup> titanium GV-130
GEVACRIL <sup>®</sup> bronze GV-140
GEVACRIL <sup>®</sup> light blue metallic GV-150
GEVACRIL <sup>®</sup> shimmer blue metallic GV-155
GEVACRIL <sup>®</sup> green metallic GV-160
GEVACRIL <sup>®</sup> pink metallic GV-170

-  GEV110 Gold
-  GEV120 Silver
-  GEV130 Titanium
-  GEV140 Bronze
-  GEV150 Light Blue Metallic
-  GEV155 Shimmer Blue Metallic
-  GEV160 Green Metallic
-  GEV170 Pink Metallic

The standard length tolerance is -0/+30 mm.

On request we can produce other diameters, thicknesses, lengths

Approvals, Quality Description: available

Package system: labelled, wrapped in PE film and palletized according to our Quality Description System



**your acrylic professional**





# GEVACRIL

## CAST ACRYLIC CLEAR RODS

External Diameter Ø mm	Standard length Mm	Packing unit N	Tolerance External diameter
5 Ø	2000	25	± 0,2 mm
6 Ø	2000	25	± 0,2 mm
7	2000	25	± 0,2 mm
8 Ø	2000	25	± 0,2 mm
9	2000	25	± 0,2 mm
10 Ø	2000	10	± 0,2 mm
11	2000	10	± 0,2 mm
12 Ø	2000	10	± 0,2 mm
13	2000	10	± 0,2 mm
14	2000	10	± 0,2 mm
15 Ø	2000	10	± 0,2 mm
16	2000	10	± 0,2 mm
17	2000	10	± 0,2 mm
18 Ø	2000	10	± 0,2 mm
19	2000	10	± 0,2 mm
20 Ø	2000	5	± 0,2 mm
21	2000	5	± 0,2 mm
22 Ø	2000	5	± 0,2 mm
23	2000	5	± 0,2 mm
24	2000	5	± 0,2 mm
25 Ø	2000	5	± 0,2 mm
26	2000	1	± 0,2 mm
27	2000	1	± 0,2 mm
28	2000	1	± 0,2 mm.
30 Ø	2000	1	± 0,2 mm.
32	2000	1	± 0,2 mm
34	2000	1	± 0,2 mm
35 Ø	2000	1	± 0,2 mm.
36	2000	1	± 0,2 mm
40 Ø	2000	1	± 0,2 mm.
45 Ø	2000	1	± 0,2 mm.
50 Ø	2000	1	± 0,2 mm.
55 Ø	2000	1	± 1,0 mm.
60 Ø	2000	1	± 1,0 mm.
65 Ø	2000	1	± 1,0 mm.
70 Ø	2000	1	± 1,0 mm.
75 Ø	2000	1	± 1,0 mm.
80 Ø	2000	1	± 1,0 mm.
85 Ø	2000	1	± 1,0 mm.
90 Ø	2000	1	± 1,0 mm.
95 Ø	2000	1	± 1,0 mm.
100 Ø	2000	1	± 1,0 mm.
110 Ø	1000	1	± 1,0 mm.
120 Ø	1000	1	± 1,0 mm.
130 Ø	1000	1	± 1,0 mm.
140 Ø	1000	1	± 1,0 mm.
150 Ø	1000	1	± 1,0 mm.
160 Ø	1000	1	± 1,0 mm.
170 Ø	1000	1	± 1,0 mm.
180 Ø	1000	1	± 1,0 mm.
190 Ø	1000	1	± 1,0 mm.
200 Ø	1000	1	± 1,0 mm.



**your acrylic professional**





# GEVACRIL

## CAST ACRYLIC CLEAR BARS

Side length [ ] mm	Standard length** Mm	Packing unit N	Tolerance on profile
10x10 Θ	2000	10	± 0,4 mm.
12x12 Θ	2000	10	± 0,4 mm.
15x15 Θ	2000	10	± 0,4 mm.
16x16	2000	10	± 0,4 mm.
18x18	2000	10	± 0,4 mm.
20x20 Θ	2000	5	± 0,4 mm.
22x22	2000	5	± 0,4 mm.
24x24	2000	5	± 0,4 mm.
25x25 Θ	2000	5	± 0,4 mm.
28x28	2000	1	± 0,4 mm.
30x30 Θ	2000	1	± 0,4 mm.
34x34	2000	1	± 0,4 mm.
35x35 Θ	2000	1	± 0,4 mm.
38x38	2000	1	± 0,4 mm.
40x40 Θ	2000	1	± 0,4 mm.
45x45 Θ	2000	1	± 0,4 mm.
50x50 Θ	2000	1	± 0,4 mm.
55x55	2000	1	± 1,0 mm.
60x60 Θ	2000	1	± 1,0 mm.
65x65	2000	1	± 1,0 mm.
70x70 Θ	2000	1	± 1,0 mm.
75x75	2000	1	± 1,0 mm.
80x80 Θ	2000	1	± 1,0 mm.
85x85	2000	1	± 1,0 mm.
90x90 Θ	2000	1	± 1,0 mm.
95x95	2000	1	± 1,0 mm.
100x100 Θ	2000	1	± 1,0 mm.
110x110	2000	1	± 1,0 mm.
120x120	2000	1	± 1,0 mm.

Θ=Stock items; standard rods & bars are transparent; the standard length tolerance is -0/+30 mm

On request we can produce other diameters, thicknesses and lengths

Approvals, Food Compliance, Quality Description: available

Happylabel package system: cast bars are labelled in white, wrapped in PE film and palletized

Transparent, translucent, fluorescent, opal and glass-look colour grades



**your acrylic professional**





# GEVACRIL

## FLUOR-ACRYL® RODS

External diameter mm	Standard length mm	Packing unit	Minimum quantity	FLUOR-ACRYL® fluor colours
<b>XT 5 Ø</b>	2000	50	100	blue, green, yellow, red
<b>XT 10 Ø</b>	2000	25	50	blue, green, yellow, red
<b>XT 15 Ø</b>	2000	10	50	blue, green, yellow, red
<b>CAST 20 Ø</b>	2000	1	10	blue, green, yellow, red
<b>CAST 25</b>	2000	1	10	blue, green, yellow, red
<b>CAST30 Ø</b>	2000	1	10	blue, green, yellow, red
<b>CAST 40 Ø</b>	2000	1	5	blue, green, yellow, red
<b>CAST 50</b>	2000	1	5	blue, green, yellow, red

## FLUOR-ACRYL® BARS

External profile mmxmm	Standard length mm	Packing unit	Minimum quantity	FLUOR-ACRYL® fluor colours
<b>CAST 20x20 Ø</b>	2000	1	10	blue, green, yellow, red
<b>CAST30x30</b>	2000	1	10	blue, green, yellow, red
<b>CAST 40x40</b>	2000	1	5	blue, green, yellow, red
<b>CAST 50x50</b>	2000	1	5	blue, green, yellow, red

(Ø) are stock items; the standard length tolerance is -0/+30 mm.

On request we can produce other profiles and lengths

Approvals, Quality Description: available

Package system: cast bars are labelled in white, extruded bars are labelled in green, wrapped in PE film and palletized



**your acrylic professional**





# GEVACRIL

## CAST ACRYLIC DOMES

ARTICLE CODE	DIAMETER	THICKNESS	TOLERANCE	
			On thick- ness mm	On OD mm
CUP100/3	mm.100 $\Theta$	mm.3	-/+1	-/+3
CUP160/3	mm.160 $\Theta$	mm.3	-/+1	-/+3
CUP180/3	mm.180	mm.3	-/+1	-/+3
CUP200/3	mm.200 $\Theta$	mm.3	-/+1	-/+3
CUP215/3	mm.215	mm.3	-/+1	-/+3
CUP300/3	mm.300 $\Theta$	mm.3	-/+1	-/+3
CUP300/5	mm.300 $\Theta$	mm.5	-/+1,2	-/+3
CUP380/3	mm.380	mm.3	-/+1	-/+3
CUP380/5	mm.380	mm.5	-/+1,2	-/+3
CUP400/3	mm.400 $\Theta$	mm.3	-/+1	-/+3
CUP400/5	mm.400 $\Theta$	mm.5	-/+1,2	-/+3
CUP450/3	mm.450	mm.3	-/+1	-/+3
CUP450/5	mm.450	mm.5	-/+1,2	-/+3
CUP500/3	mm.500 $\Theta$	mm.3	-/+1	-/+3
CUP500/5	mm.500 $\Theta$	mm.5	-/+1,2	-/+3
CUP600/3	mm.600 $\Theta$	mm.3	-/+1	-/+3
CUP600/5	mm.600 $\Theta$	mm.5	-/+1,2	-/+3
CUP700/5	mm.700	mm.5	-/+1,2	-/+3
CUP750/5	mm.750 $\Theta$	mm.5	-/+1,2	-/+3
CUP1000/5 with edge	mm.1000 $\Theta$	mm.5	-/+1,2	-/+3

Standard domes are transparent without edge; on request: with edge

On request we can produce other diameters

Approvals, Food Compliance, Quality Description: available

HappyLabel package system: cast domes are labelled in white, wrapped in PE film and packed in cartons

Satin, translucent, FLUOR-ACRYL, opal and glass-look colour grades: on request



**your acrylic professional**





# GEVACRIL

## CAST ACRYLIC BALLS

Outside Diameter mm	Packing unit N	Tolerance Outside Diameter
30 $\emptyset$	1	$\pm 1$ mm
40 $\emptyset$	1	$\pm 1$ mm
45	1	$\pm 1$ mm
50 $\emptyset$	1	$\pm 1$ mm
55	1	$\pm 1$ mm
60 $\emptyset$	1	$\pm 1$ mm
65	1	$\pm 1$ mm
70 $\emptyset$	1	$\pm 1$ mm
75	1	$\pm 1$ mm
80 $\emptyset$	1	$\pm 1$ mm
85	1	$\pm 1$ mm
90 $\emptyset$	1	$\pm 1$ mm
95	1	$\pm 1$ mm
100 $\emptyset$	1	$\pm 1$ mm
120	1	$\pm 1$ mm
140	1	$\pm 1$ mm
150 $\emptyset$	1	$\pm 1$ mm

$\emptyset$ =Stock items

Standard balls are transparent

On request we can produce other diameters

Approvals, Food Compliance, Quality Description: available

HappyLabel package system: cast balls are labelled in white, wrapped in PE film and packed in cartons

Colour grades: on request



**your acrylic professional**

