

GEVACRIL

GEVACRIL® 2005: DELIVERY PROGRAM

XT ACRYLIC TUBES

XT ACRYLIC SATIN TUBES

**XT POLYCARBONATE
TUBES**

**XT ACRYLIC RODS &
COLOURED RODS**

XT ACRYLIC BUBBLE RODS

XT HALF-ROUND RODS

XT ACRYLIC BARS

**XT ACRYLIC TRIANGLE
BARS**

**XT ACCESSORIES (HINGES,
BOLTS, LOCK SETS)**

**CAST CONTINUED ACRYLIC
TUBES**

**CAST ACRYLIC TUBES
(TRANSPARENT, OPAL,
COLOURED)**

CAST ACRYLIC RODS

CAST ACRYLIC BARS

CAST ACRYLIC DOMES

CAST ACRYLIC BALLS

GEVACRIL®:

high-quality, innovation, transparency



your acrylic professional



GEVACRIL

EXTRUDED ACRYLIC CLEAR TUBES

External diameter mm.	External diameter inch	Length mm.	Length foot	Thicknesses				
				1 mm. 0.040"	2 mm. 0.080"	3 mm. 0.120"	4 mm. 0.160"	5 mm. 0.200"
20	0.80"	2000/4000	6.56'/13.12'	○	○	○	***	***
25	0.98"	2000/4000	6.56'/13.12'	***	○	○	***	***
30	1.18"	2000/4000	6.56'/13.12'	***	○	○	○	○
40	1.57"	2000/4000	6.56'/13.12'	***	○	○	○	○
50	1.97"	2000/4000	6.56'/13.12'	***	○	○	○	○
60	2.36"	2000/4000	6.56'/13.12'	***	○	○	○	○
70	2.76"	2000/4000	6.56'/13.12'	***	***	○	○	○
80	3.15"	2000/4000	6.56'/13.12'	***	***	○	○	○
90	3.54"	2000/4000	6.56'/13.12'	***	***	○	○	○
100	3.94"	2000/4000	6.56'/13.12'	***	***	○	○	○
110	4.33"	2000/4000	6.56'/13.12'	***	***	○	***	○
120	4.72"	2000/4000	6.56'/13.12'	***	***	○	***	○
133	5.24"	2000/4000	6.56'/13.12'	***	***	○	***	○
150	5.91"	2000/4000	6.56'/13.12'	***	***	○	○	○
180	7.09"	2000/4000	6.56'/13.12'	***	***	***	○	***
200	7.87"	2000/4000	6.56'/13.12'	***	***	○	○	○
230	9.06"	2000/4000	6.56'/13.12'	***	***	***	○	○
250	9.84"	2000/4000	6.56'/13.12'	***	***	***	○	○

	US standard range
	Europe standard range
○	item of the standard range
***	not in the range



your acrylic professional





GEVACRIL

EXTRUDED ACRYLIC SATIN TUBES

External diameter mm.	External diameter inch	Length mm.	Length foot	Thicknesses	
				3mm. 0.120"	4mm. 0.157"
50	1.97"	2000	6.56'	○	***
60	2.36"	2000	6.56'	○	***
70	2.76"	2000	6.56'	○	***
80	3.15"	2000	6.56'	○	***
90	3.54"	2000	6.56'	○	***
100	3.94"	2000	6.56'	○	***
150	5.91"	2000	6.56'	○	***
200	7.87"	2000	6.56'	***	○

Tolerances: see production table of extruded acrylic tubes

	US standard range
	Europe standard range
○	item of the standard range
***	not in the range



your acrylic professional





GEVACRIL

POLYCARBONATE CLEAR TUBES

External diameter mm.	External diameter inch	Length mm.	Length foot	Thicknesses			
				2 mm. 0.080"	3 mm. 0.120"	4 mm. 0.160"	5 mm. 0.200"
10	0.40"	2000	6.56'	○	○	***	***
15	0.60"	2000	6.56'	○	○	***	***
20	0.80"	2000	6.56'	○	○	***	***
25	0.98"	2000	6.56'	○	○	***	***
30	1.18"	2000	6.56'	○	○	○	○
38	1.50"	2000	6.56'	○	○	***	***
40	1.57"	2000	6.56'	○	○	○	○
50	1.97"	2000	6.56'	○	○	○	○
60	2.36"	2000	6.56'	○	○	○	○
70	2.76"	2000	6.56'	○	○	○	○
80	3.15"	2000	6.56'	○	○	○	○
90	3.54"	2000	6.56'	○	○	○	○
100	3.94"	2000	6.56'	○	○	○	○
110	4.33"	2000	6.56'	***	○	○	○
120	4.72"	2000	6.56'	***	○	○	○
130	5.12"	2000	6.56'	***	○	○	○
150	5.91"	2000	6.56'	***	○	○	○
200	7.87"	2000	6.56'	***	○	○	○
230	9.06"	2000	6.56'	***	○	○	○
250	9.84"	2000	6.56'	***	○	○	○

	US standard range
	Europe standard range
○	item of the standard range
***	not in the range



your acrylic professional





GEVACRIL

XT ACRYLIC CLEAR RODS

Diameter		Length		Tolerances	
mm	inch	mm	foot	mm	inch
2	0.08"	2000	6.56'	+0,2	+0.008"
3	0.12"	2000	6.56'	+0,2	+0.008"
4	0.16"	2000	6.56'	+0,2	+0.008"
5	0.20"	2000	6.56'	+0,3	+0.012"
6	0.24"	2000	6.56'	+0,3	+0.012"
8	0.31"	2000	6.56'	+0,3	+0.012"
10	0.40"	2000	6.56'	+0,4	+0.016"
12	0.47"	2000	6.56'	+0,4	+0.016"
15	0.60"	2000	6.56'	+0,5	+0.020"

XT ACRYLIC LISA FLUOR RODS

Yellow, Green, Blue, Red

Diameter		Length		Tolerances	
5	0.20"	2000	6.56'	+0,3	+0.012"
10	0.40"	2000	6.56'	+0,4	+0.016"
15	0.60"	2000	6.56'	+0,5	+0.020"
20	0.80"	2000	6.56'	+/-0,5	+/-0.020"



your acrylic professional





GEVACRIL

XT ACRYLIC BUBBLE RODS

Diameter		Length		Tolerances	
15	0.60"	2000	6.56'	+0,3	+0.012"
20	0.80"	2000	6.56'	+/-0,5	+/-0.020"
30	1.18"	2000	6.56'	+/-0,5	+/-0.020"
40	1.57"	2000	6.56'	+/-0,5	+/-0.020"

XT ACRYLIC HALF-ROUND RODS

Diameter		Length		Tolerances	
mm	inch	mm	foot	mm	inch
4	0.16"	2000	6.56'	+0,2	+0.008"
5	0.20"	2000	6.56'	+0,3	+0.012"
6	0.24"	2000	6.56'	+0,3	+0.012"
8	0.31"	2000	6.56'	+0,3	+0.012"
10	0.39"	2000	6.56'	+0,4	+0.016"
12	0.47"	2000	6.56'	+0,4	+0.016"
15	0.59"	2000	6.56'	+0,5	+0.020"
20	0.79"	2000	6.56'	+0,8	+0.031"
25	0.98"	2000	6.56'	+0,8	+0.031"



your acrylic professional





GEVACRIL

XT ACRYLIC CLEAR BARS

Profile		Length		Tolerances	
mm	inch	mm	foot	mm	inch
5x5x5	0.20"x0.20"x0.20"	2000	6.56'	+0,3	+0.03"
8x8x8	0.30"x0.30"x0.30"	2000	6.56'	+0,4	+0.03"
10x10x10	0.40"x0.40"x0.40"	2000	6.56'	+0,4	+0.03"
15x15x15	0.60"x0.60"x0.60"	2000	6.56'	+0,5	+0.03"
20x20x20	0.80"x0.80"x0.80"	2000	6.56'	+0,8	+0.03"
25x25x25	0.98"x0.98"x0.98"	2000	6.56'	+0,8	+0.03"

XT ACRYLIC TRIANGLE BARS

Profile		Length		Tolerances	
mm	inch	mm	foot	mm	inch
4x4	0.16"x0.16"	2000	6.56'	+0,2	+0.01"
5x5	0.20"x0.20"	2000	6.56'	+0,3	+0.01"
6x6	0.24"x0.24"	2000	6.56'	+0,3	+0.01"
8x8	0.30"x0.30"	2000	6.56'	+0,3	+0.01"
10x10	0.40"x0.40"	2000	6.56'	+0,4	+0.02"
12x12	0.47"x0.47"	2000	6.56'	+0,4	+0.02"
15x15	0.60"x0.60"	2000	6.56'	+0,5	+0.02"
20x20	0.80"x0.80"	2000	6.56'	+0,6	+0.02"
25x25	0.98"x0.98"	2000	6.56'	+0,8	+0.03"

	US standard range
	Europe standard range



your acrylic professional





GEVACRIL

CAST CONTINUED® TUBES

External diameter mm.	External diameter inch	Length mm.	Length foot	Thicknesses		
				3 mm. 0.120"	4 mm. 0.160"	5 mm. 0.20"
150	5.90"	2000	6.56'	○	***	○
185	7.30"	2000	6.56'	○	***	○
200	7.85"	2000	6.56'	○	○	○
220	8.65"	2000	6.56'	○	***	○
230	9.00"	2000	6.56'	○	○	○
240	9.50"	2000	6.56'	○	○	○
250	9.85"	2000	6.56'	○	○	○
260	10.25"	2000	6.56'	○	***	○
300	11.80"	2000	6.56'	***	○	○

	US standard range
	Europe standard range
○	item of the standard range
***	not in the range



your acrylic professional





GEVACRIL

CAST ACRYLIC CLEAR TUBES

External diameter mm.	External diameter inch	Length mm.	Length foot	Thicknesses				
				3 mm. 0.120"	5 mm. 0.20"	6 mm. 0.24"	10 mm. 0.40"	12 mm. 0.47"
40	1,55"	2000	6,56'	○	***	***	***	***
44	1,75"	2000	6,56'	○	○	***	***	***
50	2,00"	2000	6,56'	○	○	○	***	***
60	2,40"	2000	6,56'	○	○	○	○	***
64	2,50"	2000	6,56'	○	○	○	○	***
70	2,75"	2000	6,56'	○	○	○	○	***
76	3,00"	2000	6,56'	○	○	○	○	***
80	3,15"	2000	6,56'	○	○	○	○	***
90	3,50"	2000	6,56'	○	○	○	○	***
100	3,90"	2000	6,56'	○	○	○	○	○
110	4,30"	2000	6,56'	○	○	○	○	○
115	4,50"	2000	6,56'	○	○	○	○	○
120	4,75"	2000	6,56'	○	○	○	○	○
125	4,90"	2000	6,56'	○	○	○	○	○
134	5,30"	2000	6,56'	○	○	○	○	○
139	5,50"	2000	6,56'	○	○	○	○	○
153	6,00"	2000	6,56'	○	○	○	○	○
160	6,30"	2000	6,56'	○	○	○	○	○
164	6,50"	2000	6,56'	○	○	○	○	○
170	6,70"	2000	6,56'	○	○	○	○	○
185	7,30"	2000	6,56'	○	○	○	○	○
200	7,85"	2000	6,56'	○	○	○	○	○
215	8,50"	2000	6,56'	○	○	○	○	○
230	9,00"	2000	6,56'	○	○	○	○	○
240	9,50"	2000	6,56'	○	○	○	○	○
250	9,85"	2000	6,56'	○	○	○	○	○
260	10,25"	2000	6,56'	○	○	○	○	○



your acrylic professional





GEVACRIL

300	11,80"	2000	6,56'	***	○	○	○	○
300	11,80"	4100	13,45'	***	○	***	***	***
350	13,75"	2100	6,89'	***	○	○	○	***
400	15,75"	2050	6,70'	***	○	○	○	***
500	19,70"	2050	6,70'	***	○	○	○	***

	US standard range
	Europe standard range
○	item of the standard range
***	not in the range

CAST ACRYLIC CLEAR RODS

Diameter		Length	
mm	inch	mm	foot
5	0.20"	2000	6.56'
10	0.40"	2000	6.56'
15	0.60"	2000	6.56'
18	0.70"	2000	6.56'
20	0.80"	2000	6.56'
25	1.00"	2000	6.56'
28	1.10"	2000	6.56'
30	1.20"	2000	6.56'
35	1.40"	2000	6.56'
38	1.50"	2000	6.56'
45	1.75"	2000	6.56'
50	2.00"	2000	6.56'
63,5	2.50"	2000	6.56'
70	2.75"	2000	6.56'
76,2	3.00"	2000	6.56'
80	3.15"	2000	6.56'
85	3.35"	2000	6.56'
89	3.50"	2000	6.56'
95	3.75"	2000	6.56'
101,5	4.00"	2000	6.56'
110	4.35"	1000	3.28'
120	4.75"	1000	3.28'



your acrylic professional





GEVACRIL

130	5.10"	1000	3.28'
140	5.50"	1000	3.28'
150	5.90"	1000	3.28'
160	6.30"	1000	3.28'
170	6.70"	1000	3.28'
180	7.10"	1000	3.28'
190	7.50"	1000	3.28'
200	7.85"	1000	3.28'

CAST ACRYLIC CLEAR BARS

Side		Length	
mmxmm	inchxinch	mm	foot
10x10	0.40"x0.40"	2000	6.56'
15x15	0.60"x0.60"	2000	6.56'
18x18	0.70"x0.70"	2000	6.56'
20x20	0.80"x0.80"	2000	6.56'
25x25	1.00"x1.00"	2000	6.56'
28x28	1.10"x1.10"	2000	6.56'
30x30	1.20"x1.20"	2000	6.56'
34x34	1.35"x1.35"	2000	6.56'
38x38	1.50"x1.50"	2000	6.56'
45x45	1.75"x1.75"	2000	6.56'
50x50	2.00"x2.00"	2000	6.56'
55x55	2.15"x2.15"	2000	6.56'
60x60	2.35"x2.35"	2000	6.56'
63,5x63,5	2.50"x2.50"	2000	6.56'
70x70	2.76"x2.76"	2000	6.56'
75x75	2.95"x2.95"	2000	6.56'
80x80	3.15"x3.15"	2000	6.56'
85x85	3.35"x3.35"	2000	6.56'
89x89	3.50"x3.50"	2000	6.56'
95x95	3.75"x3.75"	2000	6.56'
101,5x101,5	4.00"x4.00"	2000	6.56'



your acrylic professional





GEVACRIL

PMMA CLEAR DOMES

ARTICLE	DIAMETER	DIAMETER	THICKNESS	THICKNESS
CODE				
	mm	inch	mm	inch
CUP100/3	100	3,94"	3	0,12"
CUP160/3	160	6,30"	3	0,12"
CUP180/3	180	7,09"	3	0,12"
CUP200/3	200	7,87"	3	0,12"
CUP215/3	215	8,46"	3	0,12"
CUP300/3	300	11,81"	3	0,12"
CUP300/5	300	11,81"	5	0,20"
CUP380/3	380	14,96"	3	0,12"
CUP380/5	380	14,96"	5	0,20"
CUP400/3	400	15,75"	3	0,12"
CUP400/5	400	15,75"	5	0,20"
CUP450/3	450	17,72"	3	0,12"
CUP450/5	450	17,72"	5	0,20"
CUP500/3	500	19,69"	3	0,12"
CUP500/5	500	19,69"	5	0,20"
CUP600/3	600	23,62"	3	0,12"
CUP600/5	600	23,62"	5	0,20"
CUP700/5	700	27,56"	5	0,20"
CUP750/5	750	29,53"	5	0,20"
CUP1000/5B	1000	39,37"	5	0,20"



your acrylic professional





GEVACRIL

CAST ACRYLIC SOLID BALLS

Diameter	
mm	inch
30	1.18"
40	1.57"
45	1.77"
50	1.96"
55	2.16"
60	2.36"
65	2.55"
70	2.75"
75	2.95"
80	3.14"
85	3.34"
90	3.54"
95	3.74"
100	3.93"
120	4.72"
140	5.51"
150	5.90"



your acrylic professional





GEVACRIL

ACCESSORIES (HINGES, BOLTS & NUTS)

ACRYLIC TRANSPARENT HINGES		
CODE	DESCRIPTION	
ARTICLE	mmxmm	inchxinch
HINGE1	24x31	0.94"x1.22"
HINGE2	38x45	1.50"x1.77"

ACRYLIC TRANSPARENT BOLTS (CROSS SLOT) and NUTS		
CODE	DESCRIPTION	
ARTICLE	mmxmm	inchxinch
VITE4X12	mm.4x12	0.16"x0.47"
	diameter mm.4	0.16"
	total length mm.10	0.39"
	diameter head mm.7	0.28"
	length stem mm.9	0.35"
VITE4X18	mm.4x18	0.16"x0.71"
	diameter mm.4	0.16"
	total length mm.18	0.71"
	diameter head mm.7	0.28"
	length stem mm.15	0.59"
VITE5X15	mm.5x15	0.20"x0.59"
	diameter mm.5	0.20"
	total length mm.15	0.59"
	diameter head mm.9	0.35"
	length stem mm.12	0.47"
DADO4	dado esagonale M4 CH mm.7	0.28"
	spessore mm.3	0.12"
DADO5	dado esagonale M5 CH mm.8	0,31"
	spessore mm.4	0.16"

	US standard range
	Europe standard range



your acrylic professional

