

GEVACRIL

**GEVACRIL[®]: XT ACRYLIC RODS
XT FLUORACRYL[®] RODS
XT BUBBLE RODS
XT HALF-ROUND RODS
XT ACRYLIC BARS
XT ACRYLIC TRIANGLE BARS**

GEVACRIL[®]:
High-quality, innovation, transparency



your acrylic professional



GEVACRIL

XT ACRYLIC CLEAR RODS

External diameter Ø mm	Standard length Mm	Packing unit N	Minimum quantity N	Tolerance External diameter
2 Ø	2000	100	100	± 0,3mm
3 Ø	2000	100	100	± 0,3mm
4 Ø	2000	100	100	± 0,3mm
5 Ø	2000	50	100	± 0,3mm
6 Ø	2000	25	50	± 0,3mm
7	2000	25	50	± 0,3mm
8 Ø	2000	25	50	± 0,3mm
10 Ø	2000	25	25	± 0,3mm
12 Ø	2000	10	20	± 0,3mm
15	2000	10	20	± 0,3mm

XT FLUOR-ACRYL[®] RODS

Yellow, Green, Blue, Red

External diameter Ø mm	Standard length Mm	Packing unit N	Minimum quantity N	Tolerance External diameter
5 Ø	2000	50	100	± 0,3 mm.
10 Ø	2000	25	50	± 0,4 mm.
15 Ø	2000	10	50	± 0,5 mm.

XT ACRYLIC BUBBLE RODS

External diameter Ø mm	Standard length Mm	Packing unit N	Minimum quantity N	Tolerance External diameter
15 Ø	2000	10	50	± 0,5 mm.
20 Ø	2000	10	20	± 0,5 mm.
30 Ø	2000	1	5	± 0,8 mm.
40 Ø	2000	1	5	± 0,8 mm.



your acrylic professional





GEVACRIL

XT ACRYLIC HALF-ROUND RODS

External diameter Ø mm	Standard length Mm	Packing unit N	Minimum quantity N	Tolerance External diameter
4	2000	50	100	± 0,2 mm.
5	2000	50	100	± 0,3 mm.
6	2000	25	50	± 0,3 mm.
8	2000	25	25	± 0,4 mm.
10 Ø	2000	25	25	± 0,4 mm.
12	2000	10	20	± 0,4 mm.
15	2000	10	20	± 0,5 mm.
20	2000	10	20	± 0,8 mm.
25	2000	10	20	± 0,8 mm.

XT ACRYLIC CLEAR BARS

Side length [] mm	Standard length mm	Packing unit N	Minimum quantity N	Tolerance on profile
4x4	2000	50	100	± 0,2 mm.
5x5 Ø	2000	50	100	± 0,3 mm.
6x6	2000	25	50	± 0,3 mm.
8x8 Ø	2000	25	50	± 0,3 mm.
10x10 Ø	2000	25	25	± 0,4 mm.
12x12 Ø	2000	10	20	± 0,4 mm.
15x15	2000	10	20	± 0,5 mm.
20x20	2000	10	20	± 0,6 mm.
25x25	2000	10	20	± 0,8 mm.

XT ACRYLIC TRIANGLE BARS

Side length [] mm	Standard length mm	Packing unit N	Minimum quantity N	Tolerance on profile
5x5x5	2000	50	100	± 0,4 mm.
8x8x8	2000	25	50	± 0,4 mm.
10x10x10	2000	25	50	± 0,4 mm.
15x15x15	2000	10	20	± 0,4 mm.
20x20x20	2000	10	20	± 0,4 mm.
25x25x25	2000	10	20	± 0,4 mm.



your acrylic professional





GEVACRIL

⊙ = stock items; standard rods & bars are transparent (except the LISA ones); the standard length tolerance is -0/+30 mm

On request we can produce other profiles and lengths


Approvals, Food Compliance, Quality Description: available

HappyLabel package system: labelled in white, wrapped in PE film and palletized

Transparent, translucent, fluorescent and opal colour grades

XT ACRYLIC RODS & BARS

GEVACRIL® performances:



Excellent smooth surface and very good brilliance


They feature an excellent light transmittance; therefore they are suitable for any light application and for objects designed for visual communication

Well-rounded stock with several shapes and colours: Gevacril is the only producer offering a

vast range of different shapes and colours, most of them are available on stock.

High break resistance, eleven times more than glass

Exceptionally good resistance to weather conditions and aging indoor and outdoor



Food-contact approved

Easy to form, curve and process

Max. service temperature: $\pm 70^{\circ}\text{C}$

Approvals for EC Directives and FDA Regulations

Light: they are half the weight of silicate glass



GEVACRIL

The range:

A well-rounded range unique because of its specialities like the half-round rods with magnifying qualities and the bubbles rods

Wide stock range with thousands of meters on stock

Transparent, fluorescent and opaque colour grades are available

On request: cut to size, different colours, individual sizes

Your applications:

Point of Purchase, Point of Sales

Signs, displays

Led technology

Lighting

Architectural applications (Interior decoration, hand-rails, balconies, design objects)

Furnishings

Indoor/outdoor lights;

TV studio design (set decoration, furnishings, eye-catch objects)

The guarantees:

Material Safety Data Sheets: available

Quality Description System: available

Approvals: Technical Properties; Food Contact; Fire Ratings



® = registered trademark

Gevacril®

Cast Continued®

are registered trademarks of
Gevacril srl, Melzo, Italy.

www.gevacril.com / info@gevacril.com



your acrylic professional

